

# **ADAPTA**

## **GUEST AND COMMUNITY CHAIRS**

Design: R&D Sitlosophy®



The chair that fits you like a tailor-made hug. The Adapta chair represents the pinnacle of personalization and comfort. Its secret lies in the internal polypropylene core, an innovative choice that gives the backrest a unique flexibility, capable of following and supporting the natural movements of the user's back. This feature makes Adapta not just a chair, but an extension of the body that moves with you.

Adapta's upholstery, available in a variety of materials and colours, is designed to meet every aesthetic and functional need. Whether you prefer sobriety or boldness, you will find the perfect combination to integrate Adapta into your space. The construction, which can be chosen between the sled or four-legged version, is designed to offer stability and style.

The possibility of adding armrests, which can also accommodate a practical tablet, transforms Adapta into a multifunctional chair, ideal for any context, from work to coffee breaks. The metallic finishes, available in chrome, ivory or black, are the final touch that allows Adapta to adapt to multiple colour configurations, making it a versatile choice for any environment. Simple in its elegance, special in its functionality, Adapta is the chair you have been waiting for: a perfect combination of simplicity, style, comfort and design, ready to transform any space into a welcoming and stimulating place.

## **Specifications**

Structure	Flexible technopolymer shell
Frame	4-legged ø16 mm 1.5 mm thick or steel rod ø12 on item 233
Padding	Flexible polyurethane foam 2/1 thick, cm density 40 rc
Under seat shell	Technopolymer in black and ivory colour
Armrests	Part of the frame with technopolymer armcaps in black and ivory on item 231
Tablet	Anti-panic. Black polypropylene
Feet	Tiltable, in black polypropylene on items 230/231/232. Neutral colour on item 233



## Components and/or modules

Image	Dimension		Cod.	Description	
	Н	82		Stack chair, flexible padded shell, black 4-legged base	
	L	51	N230V		
	Р	56			
	Н	82		Stack chair, flexible padded shell, ivory 4-legged base	
	L	51	AV230V		
$I \mid I \mid I$	Р	56			
	Н	82			
	L	51	C230V	Stack chair, flexible padded shell, chrome 4-legged base	
	Р	56	- -		
_	Н	82			
A	L	60	N231V	Stack armchair, flexible padded shell, black 4-legged base and armrests	
/  /	Р	57			
	Н	82			
	L	60	AV231V	Stack armchair, flexible padded shell, ivory 4-legged base and armrests	
[ [ [ ]	P	57			
	Н	82			
A	L	60	C231V	Stack armchair, flexible padded shell, chrome 4-legged base and armrests, black polypropylene armcaps	
/   l	Р	57		party options armoups	
	Н	82			
A	L	63	N232TA	Stack armchair, flexible padded shell, black 4-legged base and armrests, right-handed writing tablet	
/ [/ ]	Р	63			



Image	Dimension		Cod.	Description	
	Н	82		Stack armchair, flexible padded shell,	
	L	63	C232TA	chrome 4-legged base and armrests, black polypropylene armcaps and right-handed	
[ [ [	Р	63		writing tablet	
	Н	82		Stack chair, flexible padded shell, black cantilever base	
	L	56	N233V		
	Р	56			
	Н	82		Stack chair, flexible padded shell, ivory cantilever base	
	L	56	AV233V		
	Р	56			
	Н	82		Stack chair, flexible padded shell, chrome cantilever base	
	L	56	C233V		
	Р	56			







### Coverings

Cat.	Covering		Description	Certifications	Folder Colors
1		<b>Madrid</b> 5 colors	Weight: ± 230 g/sqm Composition: 100% PP polypropylene F.R. Martindale: 80,000 cycles	OEKO-TEX® Constituted on textuals STANDARD 100 SACCOMOS Correction States per unitere manual Trine proof class 1IM	O6
1		Cove 5 colors	Weight: ± 565 g/sqm Composition: 82% PVC – 7% Cotton – 11% Polyester Martindale: 50,000 cycles		90
2		Angel 13 colors	Weight: ± 228 g/sqm Composition: 100% polypropylene F.R. Martindale: 100,000 cycles	Fire proof class 1IM	8
2		One 15 colors	Weight: ± 350 g/sqm Composition: 100% recycled polyester Martindale: 100,000 cycles	OEKO-TEX © CONTROL TO THE PROPERTY OF THE PROP	90
2		Gazebo 15 colours	Weight: ± 640 g/sqm Composition: 87.5% Plasticized Polyvinyl Chloride – 4.4% Cotton- 8.1% Polyester Martindale: 50,000 cycles	Fire proof class 1IM	90
2		King-flex 15 colours	Weight: ± 300 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	CEKO-TEX® CHARGET IN SECULAR STANDARD 100 ST	8
3		Secret 15 colors	Weight: ± 540 g/sqm Composition: 76% PVC – 2% PU – 22% PES Martindale: 60,000 cycles Features: waterproof, UV-resistant, suitable for outdoor	Fire proof class 1IM	8
3		Mini 15 colors	Weight: ± 340 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	OEKO-TEX® STANDARD 100 STANDARD	0
3		Chili 15 colors	Weight: ± 470 g/sqm Composition: 100% Post-consumer recycled polyester FR Martindale: 60,000	Fire proof class 1IM	96



Cat.	Covering		Description	Certifications	Folder Colors
5		Step 15 colors	Weight: ± 340 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles	Treviral  STANDARD 100  STANDA	%
5		Go Check 15 colors	Weight: ± 310 g/sqm Composition: 100% Trevira CS Martindale: 80,000 cycles	STANDARD 100 STAND	%
7		Grain 15 colors	Weight: ± 615 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles California TB 117-2013	OEKO-TEX® COMPONICE IN TEXTILES STANDARD 100 1076-182 DT  Tadded for harmful substances, www.ceto-rex.com/standard100	0
7		Focus 15 colors	Weight: ± 660 g/sqm Composition: 100% New Zealand Wool Martindale: 100,000 cycles CLASS 1 IM - UNI 9175	OEKO-TEX® CONTIDENCE IN TEXTILES STANDARD 100 1076-182 DI 1076-182 DI Tesded for harmfall substances, www.oelo-tex.com/standarc100	0
7		Extrema 15 colors	Weight: ± 480 g/sqm Composition: 63% PU – 29% COT – 8% PES Martindale: 150,000 cycles Features: Antibacterial protection	Ultra-Fresh* Fire proof class 1IM	8

### Certifications

















Ministerial Homologation Class 1IM on request. Search for FSC® products



https://www.sitlosophy.com/en/seat/adapta/



#### INSTRUCTIONS FOR USE AND MAINTENANCE

#### **GENERAL INFORMATION**

If the chair is used as a computer station, the angles between the foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

#### **PADDED PARTS**

Care instructions:

Leatherette: Clean with a damp cloth, mild soap and rinse well with water. It is imperative to avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, light-coloured materials cannot be put in contact with clothes containing unfixed dyes (e.g. jeans and derivatives) in order to avoid stains or streaks that are difficult to remove.

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would change the fire behaviour of the fabric. Gently dab from the edges to the centre of the stain, do not rub. After stain removal, it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth dampened with water and neutral soap by making regular circular movements. Dry gently after treatment. Gently dab from the edges to the centre of the stain, do not rub. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner regularly with a smooth nozzle, without brushing or scrubbing in any way. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some upholstery (leather, imitation leather, weft fabrics) may have a slightly different aesthetic result depending on the batch, the dyeing bath and the product to be made. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change appearance and texture over time, this is to be considered normal.

#### **UNPADDED PARTS**

Care instructions:

Mesh: Use the vacuum cleaner regularly with a smooth spout, without brushing or scrubbing in any way. Any stains can be removed using a cloth dampened with water and neutral soap with regular circular movements. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any dust residue or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powder cleaners that may damage the paintwork. avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wooden surfaces, being a natural material themselves, may undergo colour alterations with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, it is not recommended to use dry cloths that could load with rubbing

electrostatically the plastic surface by attracting dust. For more stubborn stains, neutral liquid soap can be diluted in water in moderation. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive substances such as washing powders, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material on surfaces.

## PAINTED / CHROME-PLATED METAL BASES AND STRUCTURES

Maintenance and cleaning instructions: Both steel or aluminium metal surfaces and painted surfaces should be cleaned with a damp, soft cloth soaked in warm water: For more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois skin. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and scouring pads that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as but not limited to muriatic acid, ammonia, rubbing alcohol, bleach, sulphuric acid, soda, etc.