


# BERIRAMA

### SOFAS AND MODULAR SEATING

Design: Alessandro Crosera





The true magic of Berirama lies in its ability to transform the surrounding environment.

By adding medium or high walls, design areas are created to offer privacy and style, delineating unique spaces within any context. These walls are not only functional, they are distinctive elements contributing to elevate the aesthetics of the entire environment.



#### **Specifications**

Seat	Multilayer. Polyurethane foam padding 7 cm thick, density 35 rc
Backrest/armrests	Multilayer. Shaped polyurethane foam padding density 30 rc
Walls for modules, desks and freestanding	Multilayer 1,5 cm thick. Polyurethane foam padding 2 cm thick, density 30 rc
Desktop POD2-POD4	Black melamine 2,5 cm thick with column leg ø 40x2, black finish
Desktop	Black melamine 2,5 cm thick. Black ABS cable hole cover ø 60
Fixed base	Steel support 50x20 mm, 2 mm thick. Black painted steel tube legs ø20 with adjustable feet
Feet for desks and freestanding wall	Steel tube ø20x2, black painted. Adjustable.





#### Components and/or modules

Image	Dimens	sion	Cod.	Description
	Н	19		
	L	73	N1301	Pair of legs with supports for 1-seater
	Р	56		
	Н	19		
	L	153	N1302	Pair of legs with supports for 2-seater
, r	Р	56		
	Н	24		
	L	80	1310	Pouf
	Р	65		
_	Н	55		
	L	80	1320	Chair with backrest
	Р	65		
-	Н	81		
	L	80	1321 (*)	Chair with backrest and back wall H100
	Р	69		
_	Н	121		
	L	80	1322 (*)	Chair with backrest and back wall H140
	Р	69		
	Н	55		
	L	80	1330	Armchair with backrest and short armrests
	Р	65		
				3

Image	Dimens	ion	Cod.	Description		
	Н	81				
<b>-</b> 9	L	80	1331	Armchair with backrest and short armrests. Back wall H100		
	Р	69				
	Н	81				
	L	88	1331DS	Armchair with backrest and short armrests. Back and side walls H100		
	Р	69				
-	Н	81				
	L	84	1331D	Armchair with backrest and short armrests. Back and 1 side wall H100. Right side wall		
	Р	69				
	Н	81				
	L	84	13315	Armchair with backrest and short armrests. Back and 1 side wall H100. Left side wall		
	Р	69				
	Н	121				
	L	80	1332	Armchair with backrest and short armrests. Back wall H140		
	Р	69				
	Н	121				
	L	88	1332DS	Armchair with backrest and short armrests. Back and side walls H140		
_	Ρ	69				
	Н	121				
	L	84	1332D	Armchair with backrest and short armrests. Back and 1 side wall H140. Right side wall.		
	Р	69				

Image	Dimensi	on	Cod.	Description
	Н	121		
	L	84	13325	Armchair with backrest and short armrests. Back and 1 side wall H140. Left side wall
	Р	69		
	Н	55		
	L	80	1340	Armchair with backrest and long armrests
	Р	65		
_	Н	81		
	L	80	1341	Armchair with backrest and long armrests. Back wall H100
	Р	69		
	Н	81		
	L	88	1341DS	Armchair with backrest and long armrests. Back and side walls H100
	Р	69		
	Н	81		
	L	84	1341D	Armchair with backrest and long armrests. Back and 1 side wall H100. Right side wall.
	Р	69		nght side watt.
	н	81		
	L	84	13415	Armchair with backrest and long armrests. Back and 1 side wall H100. Left side wall.
	Р	69		
	Н	121		
L 80	80	1342	Armchair with backrest and long armrests. Back wall H140	
	Р	69		



Image	Dimensio	n	Cod.	Description	
	Н	121			
	L	88	1342DS	Armchair with backrest and long armrests. Back and side walls H140	
v	Р	69			
	Н	121			
-9	L	84	1342D	Armchair with backrest and long armrests. Back and 1 side wall H140. Right side wall.	
	Р	69		nght side watt.	
	Н	121			
	L	84	13425	Armchair with backrest and long armrests. Back and 1 side wall H140. Left side wall.	
	Р	69			
	Н	55			
	L	80	1330DX	Armchair with backrest and one short armrests. Right side.	
	Р	65			
_	Н	55			
	L	80	1330SX	Armchair with backrest and one short armrests. Left side.	
	Р	65			
	Н	81			
	L	80	1331DX (*)	Chair with backrest and one short armrest. Back wall H100. Right side.	
	Р	69			
_	Н	81			
-9	L	80	1331SX (*)	Chair with backrest and one short armrest. Back wall H100. Left side.	
	Р	69			

Image	Dimens	sion	Cod.	Description		
	Н	81				
	L	84	1331DXD (*)	Chair with backrest and one short armrest. Back and side wall H100. Right		
	Р	69		side wall.		
	Н	81				
	L	84	1331SXS (*)	Chair with backrest and one short armrest. Back and side wall H100. Left side wall.		
	Р	69				
	Н	121				
	L	80	1332DX (*)	Chair with backrest and one right-side short armrest. Back wall H140.		
	Р	69				
	Н	121				
-	L	80	1332SX (*)	Chair with backrest and one left-side short armrest. Back wall H140.		
	Р	69				
	Н	121				
	L	84	1332DXD (*)	Chair with backrest and one short armrest. Back and side wall H140. Right side wall.		
	Ρ	69				
	Н	121				
	L	84	1332SXS (*)	Chair with backrest and one short armrest. Back and side wall H140. Left side wall.		
	Р	69	_	Side Wall.		
	Н	55				
-	L	80	1340DX	Chair with backrest and one long armrest. Right side.		
	Р	65				

Image	Dimens	sion	Cod.	Description		
	Н	55				
-0	L	80	1340SX	Chair with backrest and one long armrest. Left side.		
	Р	65				
	Н	81				
	L	80	1341DX	Chair with backrest and one long armrest. Back wall H100. Right side.		
	Р	69				
_	Н	81				
-0	L	80	1341SX	Chair with backrest and one long armrest. Back wall H100. Left side.		
	Р	69				
	Н	81				
	L	84	1341DXD	Chair with backrest and one long armrest. Back and side wall H100. Right side.		
	Ρ	69				
-	Н	81				
T	L	84	1341SXS	Chair with backrest and one long armrest. Back and side wall H100. Left side.		
	Р	69				
	Н	121				
	L	80	1342DX	Chair with backrest and one long armrest. Back wall H140. Right side.		
	Ρ	69				
	Н	121				
	L	80	1342SX	Chair with backrest and one long armrest. Back wall H140. Left side.		
	Р	69				


Image	e Dimension		Cod.	Description		
	Н	121				
	L	84	1342DXD	Chair with backrest and one long armrest. Back and side wall H140. Right side.		
	Р	69		Side.		
	Н	121				
	L	84	1342SXS	Chair with backrest and one long armrest. Back and side wall H140. Left side.		
	Р	69		5ide.		
	Н	121				
	L	84	1352DXDL	Chair with backrest, one short and one long armrest. Back and side hub wall H140. Right side wall.		
	Р	105				
	н	121				
	L	84	1352SXSL	Chair with backrest, one short and one long armrest. Back and side hub wall H140. Left side wall.		
	Р	105				
	Н	121				
F	L	88	1352DLS	Chair with backrest, one short and one long armrest. Side hub wall, back and short side wall. Right side hub wall		
	Р	104				
	Н	121				
	L	88	1352SLD	Chair with backrest, one short and one long armrest. Side hub wall, back and short side wall. Left side hub wall		
	Р	104		Short Side Wall. Left Side hab Wall		
	Н	121				
H	L	84	1342DXDL	Chair with backrest and one long armrest. Back and side hub wall H140.		
	Р	105		Right side hub wall.		



Image	Dimens	ion	Cod.	Description	
	Н	121			
P	L	84	1342SXSL	Chair with backrest and one long armrest. Back and side hub wall H140. Left side hub wall.	
1	Р	105			
	Н	66		Black melamine tabletop with black leg	
	L	52	TA1301	support. Structural element necessary to	
	Р	2,5		compose POD 2.	
	Н	66		Black melamine tabletop with black leg	
	L	132	TA1302	support. Structural element necessary to	
	Р	2,5		compose POD 4.	
	Н	140			
	L 4	44	N1355D	Right-side short freestanding wall with black feet.	
- <b>1</b>	Ρ	70			
	Н	140			
	L	44	N1355S	Left-side short freestanding wall with black feet.	
1	Р	70			
	н	140			
	L	70	N1356D	Right-side long freestanding wall with black feet.	
<u>ا</u> ــــــ	Р	70			
	Н	140			
	L	70	N1356S	Left-side long freestanding wall with black feet	
and the second s	Р	70			


Image	Dimens	sion	Cod.	Description
	Н	140		
	L	86	N1353	Desk 80x66 with upholstered walls. Black painted feet
	Р	70		
	Н	140		
_	L	138	N1354	Desk 132x66 with upholstered walls. Black painted feet
- + * + N	Р	70		
	ø	6	EXIT	Multifuction socket: 1 socket DE, 1 x USB-A, 2 x USB-C. OPTIONAL: EXIT multi function socket available upon request on all RIGHT-SIDE or LEFT-SIDE CHAIRS (to be specified on order) and in desktops (1353/4) only on RIGHT-SIDE POSITION

(\*) Additional elements to create POD 4 (4-seater privacy hub)




### In. Fb. Ig.

#### 2-SEATER POD COMPOSITIONS



	POD 2A		POD 2C		POD 2B
N1301 (x2)	Pair of legs with supports for one seater	N1301 Pair of legs with supports (x2) for one seater		N1301 (x2)	Pair of legs with supports for one seater
1342DXDL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. RH hub wall	1352DLS (x1)	Chair with backrest, one long and one short armrest. Side hub wall, back and short side wall H140. RH hub wall	1352DXDL (x1)	Chair with backrest, one long and one short armrest. Back and side hub wall H140. RH hub wall
1342SXSL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. LH hub wall	1352SLD (x1)	Chair with backrest, one long and one short armrest. Side hub wall, back and short side wall H140. LH hub wall.	1352SXSL (x1)	Chair with backrest, one long and one short armrest. Back and side hub wall H140. LH hub wall
TA1301 (x1)	Black melamine tabletop with black supporting leg	TA1301 (x1)	Black melamine tabletop with black supporting leg	TA1301 (x1)	Black melamine tabletop with black supporting leg

#### **4-SEATER POD COMPOSITIONS**



	POD 4A		POD 4C		POD 4B
N1302 (x2)	Pair of legs with supports for two-seater	N1302 (x2)	Pair of legs with supports for two-seater	N1302 (x2)	Pair of legs with supports for two-seater
1342DXDL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. RH hub wall	1342DXDL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. RH hub wall	1342DXDL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. RH hub wall
1342SXSL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. LH hub wall	1342SXSL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. LH hub wall	1342SXSL (x1)	Chair with backrest and one long armrest. Back and side hub wall H140. LH hub wall
1322 (x2)	Armchair with backrest and back wall H140	1332DXD (x1)	Chair with backrest and one short armrest. Back and side wall H140. RH wall	1332DX (x1)	Chair with backrest and one short armrest. Back wall H140. RH armrest
TA1302 (x1)	Black melamine tabletop with black supporting leg	1332SXS (x1)	Chair with backrest and one short armrest. Back and side wall H140. LH wall	1332SX (x1)	Chair with backrest and one short armrest. Back wall H140. LH armrest.
		TA1302 (x1)	Black melamine tabletop with black supporting leg	TA1302 (x1)	Black melamine tabletop with black supporting leg



#### Coverings

Cat.	Covering		Description	Certifications	Folder Colors
2		Angel 13 colors	Weight: ± 228 g/sqm Composition: 100% polypropylene F.R. Martindale: 100,000 cycles	Fire proof class 1IM	Ø
2		<b>One</b> 15 colors	Weight: ± 350 g/sqm Composition: 100% recycled polyester Martindale: 100,000 cycles	OEKO-TEX @ ISTADACTION DISTACTION IEICON   STATACTION IEICON IEICON   Distance duration IEICON IEICON IEICON   Distance duration IEICON	Ø
2		<b>Gazebo</b> 15 colours	Weight: ± 640 g/sqm Composition: 87.5% Plasticized Polyvinyl Chloride – 4.4% Cotton- 8.1% Polyester Martindale: 50,000 cycles	Fire proof class 11M	Ø
2		King-flex 15 colours	Weight: ± 300 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	CEKO-TEX® STANDARD UNANDARD MILLION UNANDARD MILLION UNAN	Ø
3		Secret 15 colors	Weight: ± 540 g/sqm Composition: 76% PVC – 2% PU – 22% PES Martindale: 60,000 cycles Features: waterproof, UV-resistant, suitable for outdoor	Fire proof class 11M	Q
3		Mini 15 colors	Weight: ± 340 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	Records to the rest of the res	Ø
3		<b>Chili</b> 15 colors	Weight: ± 470 g/sqm Composition: 100% Post-consumer recycled polyester FR Martindale: 60,000	RECOTE TO A CONTRACT OF THE STATE OF THE STA	Ø
5		Step 15 colors	Weight: ± 340 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles	CEKO-TEX® STANDARD 100 Para contract We de to another the We de to another the Fire proof class 1IM	Ø
5		<b>Go Check</b> 15 colors	Weight: ± 310 g/sqm Composition: 100% Trevira CS Martindale: 80,000 cycles	ECCOUNTRY STANDARD STAND	Ð

### In. Fb. Ig.



Cat.	Covering	Description	Certifications	Folder Colors
7	<b>Grain</b> 15 colors	Weight: ± 615 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles California TB 117-2013	OEKO-TEX ® CONFIDENCE IN TEXTLES STANDARD 100 1076-182.01 Tasted for hermful substances, www.edoi-dec.com/stancier 100	ø
7	Focus 15 colors	Weight: ± 660 g/sqm Composition: 100% New Zealand Wool Martindale: 100,000 cycles CLASS 1 IM - UNI 9175	ECONIDINCI IN TEXTURE ECONIDINCI IN TEXTURE STANDARD 100 1076-18201 Www.ecolabel.eu	ø
7	Extrema 15 colors	Weight: ± 480 g/sqm Composition: 63% PU – 29% COT – 8% PES Martindale: 150,000 cycles Features: Antibacterial protection	<b>Ultra-Fresh</b> * Fire proof class 1IM	e O

Walls for modules, desks and free-standing can be upholstered in fabric, in the requested category (excluded: eco-leather and leather)

#### Certifications



Via Umbria, 4 - 35043, Monselice (PD) Italy sitlosophy.com



#### INSTRUCTIONS FOR USE AND MAINTENANCE

#### **GENERAL INFORMATION**

If the chair is used as a computer station, the angles between the foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

#### PADDED PARTS

#### Care instructions:

Leatherette: Clean with a damp cloth, mild soap and rinse well with water. It is imperative to avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, light-coloured materials cannot be put in contact with clothes containing unfixed dyes (e.g. jeans and derivatives) in order to avoid stains or streaks that are difficult to remove.

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would change the fire behaviour of the fabric. Gently dab from the edges to the centre of the stain, do not rub. After stain removal, it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth dampened with water and neutral soap by making regular circular movements. Dry gently after treatment. Gently dab from the edges to the centre of the stain, do not rub. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner regularly with a smooth nozzle, without brushing or scrubbing in any way. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some upholstery (leather, imitation leather, weft fabrics) may have a slightly different aesthetic result depending on the batch, the dyeing bath and the product to be made. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change appearance and texture over time, this is to be considered normal.

#### UNPADDED PARTS

#### Care instructions:

Mesh: Use the vacuum cleaner regularly with a smooth spout, without brushing or scrubbing in any way. Any stains can be removed using a cloth dampened with water and neutral soap with regular circular movements. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any dust residue or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powder cleaners that may damage the paintwork. avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wooden surfaces, being a natural material themselves, may undergo colour alterations with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, it is not recommended to use dry cloths that could load with rubbing

electrostatically the plastic surface by attracting dust. For more stubborn stains, neutral liquid soap can be diluted in water in moderation. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive substances such as washing powders, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material on surfaces.

### PAINTED / CHROME-PLATED METAL BASES AND STRUCTURES

Maintenance and cleaning instructions: Both steel or aluminium metal surfaces and painted surfaces should be cleaned with a damp, soft cloth soaked in warm water: For more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois skin. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and aggressive detergents. It is not other recommended to use abrasive pastes, scouring pads and scouring pads that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as but not limited to muriatic acid, ammonia, rubbing alcohol, bleach, sulphuric acid, soda, etc.

### In. Fb. Ig.