

# JAY

## CHAIRS AND TUB CHAIRS

Design: Zakaria Khalfaoui









Versatility is at the heart of the JAY collection: choose between wooden or metal bases, with options ranging from four legs to pyramid, from standard seat to taller stool, up to the 5-star swivel base on wheels, perfect for the smart office. JAY is more than just a chair, it is a style icon that will define the contemporary spaces furnished by Sitlosophy.



## **Specifications**

Seat/backrest	Beech plywood shell, natural varnish
Frame	4-legged black painted steel tubular ø16 2mm thick or natural varnished beech wood
Padding	Flexible polyurethane foam 2,5/1,5 cm thick, density 35 rc
Armrests	Black painted steel tubular ø14
Height adjustment	Gas pump (UNI 9084 certified) on items 15-20-21
Castors	AR8 polyamide ø50 on item 14 AR4 polyamide ø65 on item 15
Swivel base	4-spokes black nylon pyramid on items 12/14 4-spokes polished aluminum pyramid on item 13 B63 5-star nylon on item 15 B70 4-star black aluminum on item 20-21





## Components and/or modules


Image	Dimension		Cod.	Description		
	Н	76				
	L	49	N09V-WN	Chair, clear varnished beechwood shell,black painted 4-legged base		
	Р	53				
	Н	83		Chair, clear varnished beechwood shell and backrest, upholstered seat and back pad, black painted 4-legged base		
	L	49	N10V			
	P	53		. 35		
	Н	83		Chair, clear varnished beechwood shell, backrest and 4-legged base, upholstered seat and back pad		
	L	49	W11V			
	Р	53				
	Н	82		Swivel chair, clear varnished beechwood shell and backrest, upholstered seat and back pad, black nylon pyramid 4-spokes		
	L	49	N12B			
	Р	67		base		
	Н	81		Swivel chair, clear varnished beechwood shell and backrest, upholstered seat and back pad, polished aluminum pyramid 4-		
	L	49	C13B			
	Р	72		spokes base		
	Н	82		Swivel chair, clear varnished beechwood		
	L	49	N14B	shell and backrest, upholstered seat and back pad, black nylon pyramid 4-spokes base on castors		
11	Р	67	_			



Image	Dimension		Cod.	Description	
	Н	82-94			
	L	49	N15G	Swivel chair, clear varnished beechwood shell and backrest, upholstered seat and back pad, gas pump, nylon base on castors	
. 6.	Р	64			
J D			BRN10	Pair of black painted steel armrests ø14	
_	Н	96		Stool, clear varnished beechwood shell, black painted 4-legged base	
	L	45	N16V-WN		
	Р	51			
	Н	96		Stool, clear varnished beechwood shell, upholstered seat pad, black painted 4-legged base	
	L	45	N17V		
	Р	51			
_	Н	96		Stool, clear varnished beechwood shell and 4-legged base	
	L	45	W18V-WN		
	Р	49			
-	Н	96	_		
	L	45	W19V	Stool, clear varnished beechwood shell and 4-legged base, upholstered seat pad	
	Р	49			



Image Dimension		Cod.	Description	
	Н	71-97	 N20G - WN 	Swivel stool with gas pump,clear varnished beech wood shell, black painted frame, black painted aluminum 4-star base
F	L	46		
	Р	70		
_	Н	71-97	 N21G 	Swivel stool with gas pump,clear varnished beech wood shell, upholstered seat pad, black painted frame, black painted aluminum 4-star base
Ŧ	L	46		
	Р	70		









## Coverings

Cat.	Covering		Description	Certifications	Folder Colors
1		<b>Madrid</b> 5 colors	Weight: ± 230 g/sqmComposition: 100% PP polypropylene F.R.Martindale: 80,000 cycles	OEKO-TEX® CONTROLLE OF TEXTS STANDARD 100 SACOOS CONTROLL TO THE PER PROPERTY OF THE P	0
1		Cove 5 colors	Weight: ± 565 g/sqm Composition: 82% PVC – 7% Cotton – 11% Polyester Martindale: 50,000 cycles		90
2		Angel 13 colors	Weight: ± 228 g/sqm Composition: 100% polypropylene F.R. Martindale: 100,000 cycles	Fire proof class 1IM	8
2		One 15 colors	Weight: ± 350 g/sqm Composition: 100% recycled polyester Martindale: 100,000 cycles	OEKO-TEX © CONTROL TO THE PROPERTY OF THE PROP	90
2		Gazebo 15 colours	Weight: ± 640 g/sqm Composition: 87.5% Plasticized Polyvinyl Chloride – 4.4% Cotton- 8.1% Polyester Martindale: 50,000 cycles	Fire proof class 1IM	90
2		King-flex 15 colours	Weight: ± 300 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	Trevira  STANDARD 100  STANDAR	8
3		Secret 15 colors	Weight: ± 540 g/sqm Composition: 76% PVC – 2% PU – 22% PES Martindale: 60,000 cycles Features: waterproof, UV-resistant, suitable for outdoor	Fire proof class 1IM	0
3		Mini 15 colors	Weight: ± 340 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	OEKO-TEX® STANDARD 100 STANDARD	90
3		Chili 15 colors	Weight: ± 470 g/sqm Composition: 100% Post-consumer recycled polyester FR Martindale: 60,000	TIEVITO  OEKO-TEX © COMPARED TO COMPARED T	Ø€

6



Cat.	Covering	Description	Certifications	Folder Colors
5	<b>Step</b> 15 col	Weight: ± 340 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles	Treviral STANDARD 100 STANDARD	<b>₽</b>
5	<b>Go Ch</b> 15 col	•	OEKO-TEX © CONTROL OF	ø,
7	<b>Grain</b> 15 col	Weight: ± 615 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles California TB 117-2013	OEKO-TEX ® CONFIDENCE IN TEXTLES STANDARD 100  **STANDARD**  Total 20 Till  Tasted for harmful aductances, www_cello-tex, compliance of 100	Ø
7	Focus 15 col	Weight: ± 660 g/sqm Composition: 100% New Zealand Wool Martindale: 100,000 cycles CLASS 1 IM - UNI 9175	OEKO-TEX ® CONTIDENCE IN TEXTILES STANDARD 100 1076-182 DTI Tested for harmful bouldness, www.celolabell.eu	Op.
7	Extren 15 col	63% PU = 29% COT = 8% PFS	Ultra-Fresh*	Ø

### Certifications















Ministerial Homologation Class 1IM on request. Search for FSC  $\hspace{-0.9ex}^{\tiny{\textcircled{\scriptsize 0}}}$  products



https://www.sitlosophy.com/en/seat/jay/

https://www.sitlosophy.com/en/seat/jay-stool/



#### INSTRUCTIONS FOR USE AND MAINTENANCE

#### **GENERAL INFORMATION**

If the chair is used as a computer station, the angles between the foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

#### **GAS PUMP**

Instructions for use: The height adjustment of the seat by gas pump is obtained by pulling the lever of the mechanism upwards.

Maintenance instructions: the pump does not require any particular maintenance but it is advisable to avoid direct contact with the sliding parts as they contain lubricant. Warnings: Do not open the gas column by force. Specialized staff only can replace or repair the gas pump.

#### **MECHANISMS**

Instructions for use: All anti-shock mechanisms have a safety system which, once unlocked, is activated with a slight backward movement of the backrest, to prevent it from returning abruptly and accidentally forward.

Care instructions: It is recommended to clean the mechanism periodically to prevent dust or other indoor pollutants from affecting its operation or causing squeaking.

Warnings: All mechanism adjustments (height, sideshift, seat and backrest adjustment, swivel) must be operated while seated to avoid improperly straining the mechanism. When adjusting, be careful to avoid any risk of entrapment or crushing of the fingers.

#### **PADDED PARTS**

Care instructions:

Leatherette: Clean with a damp cloth, mild soap and rinse well with water. It is imperative to avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, light-coloured materials cannot be put in contact with clothes containing unfixed dyes (e.g. jeans and derivatives) in order to avoid stains or streaks that are difficult to remove

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would change the fire behaviour of the fabric. Gently dab from the edges to the centre of the stain, do not rub. After stain removal, it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth dampened with water and neutral soap by making regular circular movements. Dry gently after treatment. Gently dab from the edges to the centre of the stain, do not rub. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner regularly with a smooth nozzle, without brushing or scrubbing in any way. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some upholstery (leather, imitation leather, weft fabrics) may have a slightly different aesthetic result depending on the batch, the dyeing bath and the product to be made. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change appearance and texture over time, this is to be considered normal

#### **UNPADDED PARTS**

Care instructions:

Mesh: Use the vacuum cleaner regularly with a smooth spout, without brushing or scrubbing in any way. Any stains can be removed using a cloth dampened with water and neutral soap with regular circular movements. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any dust residue or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powder cleaners that may damage the paintwork. avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wooden surfaces, being a natural material themselves, may undergo colour alterations with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, it is not recommended to use dry cloths that could load with rubbing

electrostatically the plastic surface by attracting dust. For more stubborn stains, neutral liquid soap can be diluted in water in moderation. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive

substances such as washing powders, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material on surfaces.

## PAINTED / CHROME-PLATED METAL BASES AND STRUCTURES

Maintenance and cleaning instructions: Both steel or aluminum metal surfaces and painted surfaces should be cleaned with a damp, soft cloth soaked in warm water; For more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois skin. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and scouring pads that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as but not limited to muriatic acid, ammonia, rubbing alcohol, bleach, sulphuric acid, soda, etc.

#### **CASTORS**

Tips: When using the chair on tiled floors, carpets or rugs, we recommend the use of polyamide castors. For stone, wood, laminate floors, we recommend the use of soft desmopan rubber castors. Maintenance and cleaning instructions: It is advisable to clean the castors periodically to avoid the accumulation of dirt that can cause malfunction. Warnings: Do not stress the sliding of the castors on floors with pronounced joints as the difference in height can cause them to break.