

# LAGOM

## GUEST AND COMMUNITY CHAIRS

Design: Paolo Scagnellato & Jeremiah Ferrarese Design



Lagom is a word that describes a philosophy of life inspired by moderation and balance – the same philosophy that guided the design of this chair, which is very versatile due to its simple lines and the possibility of being configured in various ways. The monocoque seat is available in natural wood, fully upholstered or in wood with upholstered seat pad. The compass leg ensures easy stackability. Optional accessories such as the writing tablet and the accessory for joining seats make it ideal in contexts dedicated to education and training; The possibility of bench mounting makes it the perfect solution for waiting spaces.

### Specifications

<b>Structure</b>	Beechwood shell, padded or varnished
<b>Frame</b>	4-legged ø25 1,5 mm thick, painted black, white or chrome
<b>Padding</b>	Polyurethane foam 1,2 cm thick, density 40 rc
<b>Armrests</b>	Polypropylene or polished aluminum or black aluminum
<b>Tablet</b>	Antipanic in polypropylene
<b>Beam</b>	Rectangular steel tube 80x40x1,5 black painted
<b>Bench table</b>	Black melamine
<b>Bench legs</b>	Black nylon or polished aluminum

## Components and/or modules








Image	Dimension	Cod.	Description
	H	83	N220V Stack chair, padded shell, black painted 4-legged base
	L	57	
	P	56	
	H	83	B220V Stack chair, padded shell, white painted 4-legged base
	L	57	
	P	56	
	H	83	C220V Stack chair, padded shell, chrome 4-legged base
	L	57	
	P	56	
	H	83	N225VWN Stack chair, clear varnished beechwood shell, black painted 4-legged base
	L	57	
	P	56	
	H	83	B225VWN Stack chair, clear varnished beechwood shell, white painted 4-legged base
	L	57	
	P	56	
	H	83	C225VWN Stack chair, clear varnished beechwood shell, chrome 4-legged base
	L	57	
	P	56	
		PS226	Upholstered seat pad








Image	Dimension	Cod.	Description
		BRN200	Pair of black polypropylene armrests
		BRB200	Pair of white polypropylene armrests
		BRN220	Pair of black polypropylene armrests with rotating pad
		BRN201DX	Right-handed black aluminum armrest with rotating pad
		BRN202SX	Left-handed black aluminum armrest with rotating pad
		BRN203TADX	Right-handed black aluminum armrest with rotating pad and anti panic tablet
		BRN204TASX	Left-handed black aluminum armrest with rotating pad and anti panic tablet








Image	Dimension	Cod.	Description						
		BRC201DX	Right-handed polished aluminum armrest with rotating pad						
		BRC202SX	Left-handed polished aluminum armrest with rotating pad						
		BRC203TADX	Right-handed polished aluminum armrest with rotating pad and anti panic tablet						
		BRC204TASX	Left-handed polished aluminum armrest with rotating pad and anti panic tablet						
	<table border="1"> <tr> <td>H</td> <td>80</td> </tr> <tr> <td>L</td> <td>129</td> </tr> <tr> <td>P</td> <td>56</td> </tr> </table>	H	80	L	129	P	56	N222 T2	Two-seater bench, black legs, padded shells
H	80								
L	129								
P	56								
	<table border="1"> <tr> <td>H</td> <td>80</td> </tr> <tr> <td>L</td> <td>187</td> </tr> <tr> <td>P</td> <td>56</td> </tr> </table>	H	80	L	187	P	56	N222 T2+T	Two-seater bench with black laminate in built table, black legs, padded shells
H	80								
L	187								
P	56								
	<table border="1"> <tr> <td>H</td> <td>80</td> </tr> <tr> <td>L</td> <td>187</td> </tr> <tr> <td>P</td> <td>56</td> </tr> </table>	H	80	L	187	P	56	N222 T3	Three-seater bench, black legs, padded shells
H	80								
L	187								
P	56								








Image	Dimension	Cod.	Description
	H	80	N222 T3+T Three-seater bench with black laminate in built table, black legs, padded shells
	L	231	
	P	56	
	H	80	N222 T4 Four-seater bench, black legs, padded shells
	L	231	
	P	56	
	H	83	C222 T2 Two-seater bench, polished aluminum legs, padded shells
	L	105	
	P	56	
	H	83	C222 T2+T Two-seater bench with black laminate in built table, polished aluminum legs, padded shells
	L	163	
	P	56	
	H	83	C222 T3 Three-seater bench, polished aluminum legs, padded shells
	L	163	
	P	56	
	H	83	C222 T3+T Three-seater bench with black laminate in built table, polished aluminum legs, padded shells
	L	207	
	P	56	
	H	83	C222 T4 Four-seater bench, polished aluminum legs, padded shells
	L	207	
	P	56	





































































Image	Dimension	Cod.	Description
	H	80	N227 T2 WN Two-seater bench, black legs, clear varnished beechwood shells
	L	129	
	P	56	
	H	80	N227 T2+T WN Two-seater bench with black laminate in-built table, black legs, clear varnished beechwood shells
	L	187	
	P	56	
	H	80	N227 T3 WN Three-seater bench, black legs, clear varnished beechwood shells
	L	187	
	P	56	
	H	80	N227 T3+T WN Three-seater bench with black laminate in-built table, black legs, clear varnished beechwood shells
	L	231	
	P	56	
	H	80	N227 T4 WN Four-seater bench, black legs, clear varnished beechwood shells
	L	231	
	P	56	
		PS226	Upholstered seat pad
	H	83	C227 T2 WN Two-seater bench, polished aluminum legs, clear varnished beechwood shells
	L	105	
	P	56	

Image	Dimension	Cod.	Description
	H	83	C227 T2+T WN Two-seater bench with black laminate in-built table, polished aluminum legs, clear varnished beechwood shells
	L	163	
	P	56	
	H	83	C227 T3 WN Three-seater bench, polished aluminum legs, clear varnished beechwood shells
	L	163	
	P	56	
	H	83	C227 T3+T WN Three-seater bench with black laminate in-built table, polished aluminum legs, clear varnished beechwood shells
	L	207	
	P	56	
	H	83	C227 T4 WN Four-seater bench, polished aluminum legs, clear varnished beechwood shells
	L	207	
	P	56	
		PS226	Upholstered seat pad

## Coverings

Cat.	Covering	Description	Certifications	Folder Colors
2	 <b>Angel</b> 13 colors	Weight: ± 228 g/sqm Composition: 100% polypropylene F.R. Martindale: 100,000 cycles	 Fire proof class 11M	
2	 <b>One</b> 15 colors	Weight: ± 350 g/sqm Composition: 100% recycled polyester Martindale: 100,000 cycles	   Fire proof class 11M	
2	 <b>Gazebo</b> 15 colours	Weight: ± 640 g/sqm Composition: 87.5% Plasticized Polyvinyl Chloride – 4.4% Cotton- 8.1% Polyester Martindale: 50,000 cycles	 Fire proof class 11M	
2	 <b>King-flex</b> 15 colours	Weight: ± 300 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	    Fire proof class 11M	
3	 <b>Secret</b> 15 colors	Weight: ± 540 g/sqm Composition: 76% PVC – 2% PU – 22% PES Martindale: 60,000 cycles Features: waterproof, UV-resistant, suitable for outdoor	 Fire proof class 11M	
3	 <b>Mini</b> 15 colors	Weight: ± 340 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	    Fire proof class 11M	
3	 <b>Chili</b> 15 colors	Weight: ± 470 g/sqm Composition: 100% Post-consumer recycled polyester FR Martindale: 60,000	    Fire proof class 11M	
4	 <b>Leather</b> 13 colors	100% genuine leather	 Vera pelle	
5	 <b>Step</b> 15 colors	Weight: ± 340 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles	    Fire proof class 11M	



Cat.	Covering	Description	Certifications	Folder Colors
5		<b>Go Check</b> 15 colors Weight: ± 310 g/sqm Composition: 100% Trevira CS Martindale: 80,000 cycles	    	
6		<b>Panama leather</b> 15 colors Composition: 100% corrected grain leather Thickness: 1.0 – 1.2 mm Flexural strength: 50,000 cycles	 Vera pelle Flame resistance treatment available on request	
7		<b>Grain</b> 15 colors Weight: ± 615 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles California TB 117-2013		
7		<b>Focus</b> 15 colors Weight: ± 660 g/sqm Composition: 100% New Zealand Wool Martindale: 100,000 cycles CLASS 1 IM - UNI 9175	 	
7		<b>Extrema</b> 15 colors Weight: ± 480 g/sqm Composition: 63% PU – 29% COT – 8% PES Martindale: 150,000 cycles Features: Antibacterial protection	 	

## Certifications



Ministerial Approval Class 1IM (upholstered) or Class 1 (non-upholstered) on request. Search for FSC® products



<https://www.sitlosophy.com/en/seat/lagom/>



<https://www.sitlosophy.com/en/seat/lagom-2/>

## INSTRUCTIONS FOR USE AND MAINTENANCE

### GENERAL INFORMATION

If the chair is used as a computer station, the angles between the foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

### GAS PUMP

Instructions for use: The height adjustment of the seat by gas pump is obtained by pulling the lever of the mechanism upwards.

Maintenance instructions: the pump does not require any particular maintenance but it is advisable to avoid direct contact with the sliding parts as they contain lubricant. Warnings: Do not open the gas column by force. Specialized staff only can replace or repair the gas pump.

### MECHANISMS

Instructions for use: All anti-shock mechanisms have a safety system which, once unlocked, is activated with a slight backward movement of the backrest, to prevent it from returning abruptly and accidentally forward.

Care instructions: It is recommended to clean the mechanism periodically to prevent dust or other indoor pollutants from affecting its operation or causing squeaking.

Warnings: All mechanism adjustments (height, sideshift, seat and backrest adjustment, swivel) must be operated while seated to avoid improperly straining the mechanism. When adjusting, be careful to avoid any risk of entrapment or crushing of the fingers.

### PADDED PARTS

Care instructions:

Leatherette: Clean with a damp cloth, mild soap and rinse well with water. It is imperative to avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, light-coloured materials cannot be put in contact with clothes containing unfixed dyes (e.g. jeans and derivatives) in order to avoid stains or streaks that are difficult to remove.

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would change the fire behaviour of the fabric. Gently dab from the edges to the centre of the stain, do not rub. After stain removal, it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth dampened with water and neutral soap by making regular circular movements. Dry gently after treatment. Gently dab from the edges to the centre of the stain, do not rub. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner regularly with a smooth nozzle, without brushing or scrubbing in any way. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some upholstery (leather, imitation leather, weft fabrics) may have a slightly different aesthetic result depending on the batch, the dyeing bath and the product to be made. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change appearance and texture over time, this is to be considered normal.

### UNPADDED PARTS

Care instructions:

Mesh: Use the vacuum cleaner regularly with a smooth spout, without brushing or scrubbing in any way. Any stains can be removed using a cloth dampened with water and neutral soap with regular circular movements. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any dust residue or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powder cleaners that may damage the paintwork. avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wooden surfaces, being a natural material themselves, may undergo colour alterations with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, it is not recommended to use dry cloths that could load with rubbing electrostatically the plastic surface by attracting dust. For more stubborn stains, neutral liquid soap can be diluted in water in moderation. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive

substances such as washing powders, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material on surfaces.

### PAINTED / CHROME-PLATED METAL BASES AND STRUCTURES

Maintenance and cleaning instructions: Both steel or aluminum metal surfaces and painted surfaces should be cleaned with a damp, soft cloth soaked in warm water; For more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois skin. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and scouring pads that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as but not limited to muriatic acid, ammonia, rubbing alcohol, bleach, sulphuric acid, soda, etc.