

SPARK

TASK CHAIRS

Design: R&D Sitlosophy®



Imagine yourself sitting in the Spark task chair, surrounded by a modern and dynamic work environment. This armchair is not just a piece of furniture: it is a reliable companion for your working days.

The Spark's mesh backrest is like a cool breeze on a hot summer day. Its fine-mesh weave allows air to circulate freely, keeping your back cool and dry even during the busiest hours. But fear not, comfort is not sacrificed: the padded seat and headrest welcome you with kindness, offering you soft but firm support. Polypropylene finishes, available in black or white, allow you to customize Spark to your taste and surroundings.

Whether you're in a minimalist office or a creative space, SPARK fits elegantly. But the real specialty of SPARK lies in its advanced settings.

The 3D adjustable armrests, the lumbar support that can be positioned to adapt to your back and the self-adjusting synchro mechanism that allows you to tilt the chair naturally, following your movements. It's as if SPARK anticipates your every need.

The lightweight and minimalist appearance of SPARK makes it an ideal choice for any type of work environment. It is young, fresh and ready to inspire you as you face daily challenges.

Add SPARK to your space and let it accompany you on your business journey.







Specifications

Seat	Multilayer	
Backrest	Reinforced polypropylene lined with three-dimensional fabric	
Headrest	Reinforced polypropylene, height-adjustable and reclining	
Lumbar support	Polypropylene, height adjustable	
Padding	Polyurethane foam 5 cm thick, density 35 rc	
Outer shells	Black or white polypropylene	
Armrests	3D in polypropylene, height adjustable with rotating and sliding PU pad or height adjustable in black or white polypropylene	
	MEC 8 A Self adjusting synchro with shock proof system	P
Mechanism	MEC 9 Multi block synchro with shock proof system, side control lever, seat slider on TR version	90
Height adjustment	Gas pump (UNI 9084 certified)	
Castors	AR4 polyamide ø65	
Swivel base	B67 black nylon B69 white nylon	







Components and/or modules

Image	Image Dimension		Cod.	Description	
2	Н	122-135			
	L	51	P510D	Task chair with headrest, self-adjusting synchro, black base and outer shell	
e-the-	Р	70			
2	Н	123-136		Task chair with headrest, multi block synchro and seat slider, black base and outer shell	
2	L	51	P510DTR		
وحلمه	Р	70			
	Н	104-117		Task chair, self-adjusting synchro, black base and outer shell	
	L	51	P511D		
e s f or	Р	70			
	Н	105-118		Task chair, multi block synchro and seat slider, black base and outer shell	
	L	51	P511DTR		
-	Р	70			
ĮJ			BRN3/S	Pair of height-adjustable black polypropylene armrests	
τJ			BRN4/S	Pair of 3D arrmests in black polypropylene, height adjustable with rotating and sliding black PU pad	
			GS4	Pair of black polypropylene brackets with knob for width adjustment of BR4	



Image Dimension		Cod.	Description		
	Н	122-135		Task chair with headrest, self-adjusting synchro, white base and outer shell	
	L	51	B510D		
e The	Р	70			
2	Н	123-136			
	L	51	B510DTR	Task chair with headrest, multi block synchro and seat slider, white base and outer shell	
enter.	Р	70			
	Н	104-117			
	L	51	B511D	Task chair, self-adjusting synchro, white base and outer shell	
enter.	Р	70			
	Н	105-118	B511DTR	Task chair, multi block synchro and seat slider, white base and outer shell	
	L	51			
	Р	70			
ŢJ			BRB3/S	Pair of height-adjustable white polypropylene armrests	
ĽJ			BRB4/S	Pair of 3D arrmests in white polypropylene,height adjustable with rotating and sliding grey PU pad	
			GS4	Pair of black polypropylene brackets with knob for width adjustment of BR4	



Coverings

Cat.	Covering		Description	Certifications	Folder Colors
1		Madrid 5 colors	Weight: ± 230 g/sqmComposition: 100% PP polypropylene F.R.Martindale: 80,000 cycles	OEKO-TEX® Constructed or terrority STANDARD 100 Macrossic confliction for per inflience management Fire proof class 11M	9
1		Cove 5 colors	Weight: ± 565 g/sqm Composition: 82% PVC – 7% Cotton – 11% Polyester Martindale: 50,000 cycles		90
2		Angel 13 colors	Weight: ± 228 g/sqm Composition: 100% polypropylene F.R. Martindale: 100,000 cycles	Fire proof class 1IM	90
2		One 15 colors	Weight: ± 350 g/sqm Composition: 100% recycled polyester Martindale: 100,000 cycles	STANDARD 100 STANDARD 100 CO3313 CORRECT Tendaries souther secure Tendaries southers secure Fire proof class 11M	0
2		Gazebo 15 colours	Weight: ± 640 g/sqm Composition: 87.5% Plasticized Polyvinyl Chloride – 4.4% Cotton- 8.1% Polyester Martindale: 50,000 cycles	Fire proof class 1IM	90
2		King-flex 15 colours	Weight: ± 300 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	Treviral Superior States of Control of Contr	9
3		Secret 15 colors	Weight: ± 540 g/sqm Composition: 76% PVC – 2% PU – 22% PES Martindale: 60,000 cycles Features: waterproof, UV-resistant, suitable for outdoor	Fire proof class 1IM	9
3		Mini 15 colors	Weight: ± 340 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles	Trevira OEKO-TEX® STANDARD 100 STANDARD 100 STANDARD 100 SPORT CORRECT STANDARD 100 STANDARD 100 SPORT CORRECT STANDARD 100 STANDARD 1	%
3		Chili 15 colors	Weight: ± 470 g/sqm Composition: 100% Post-consumer recycled polyester FR Martindale: 60,000	CEKO-TEX® CONTROL TO THE	0



Cat.	Covering		Description	Certifications	Folder Colors
5		Step 15 colors	Weight: ± 340 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles	Treviral STANDARD 100 Find STA	O.
5		Go Check 15 colors	Weight: ± 310 g/sqm Composition: 100% Trevira CS Martindale: 80,000 cycles	STANDARD TOO STAND	Op.
7		Grain 15 colors	Weight: ± 615 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles California TB 117-2013	OEKO-TEX® CONFIDENCE IN TEXTLES STANDARD 100 1076-182 DT Tested for harmful substances, www.jets-tax.com/standard100	Op.
7		Focus 15 colors	Weight: ± 660 g/sqm Composition: 100% New Zealand Wool Martindale: 100,000 cycles CLASS 1 IM - UNI 9175	OEKO-TEX ® CONTIDENCE IN TEXTILES STANDARD 100 1076-182 IN 1076-18	Op.
7		Extrema 15 colors	Weight: ± 480 g/sqm Composition: 63% PU – 29% COT – 8% PES Martindale: 150,000 cycles Features: Antibacterial protection	Ultra-Fresh*	Ø

Mesh Network



Certifications



















Ministerial Homologation Class 1IM on request. Search for FSC® products



https://www.sitlosophy.com/en/seat/spark/



INSTRUCTIONS FOR USE AND MAINTENANCE

GENERAL INFORMATION

If the chair is used as a Computer station, the angles between the foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

GAS PUMP

Instructions for use: The height adjustment of the seat by gas pump is obtained by pulling the lever of the mechanism upwards.

Maintenance instructions: the pump does not require any particular maintenance but it is advisable to avoid direct contact with the sliding parts as they contain lubricant. Warnings: Do not open the gas column by force. Specialized staff only can replace or repair the gas pump.

MECHANISMS

Instructions for use: All anti-shock mechanisms have a safety system which, once unlocked, is activated with a slight backward movement of the backrest, to prevent it from returning abruptly and accidentally forward.

Care instructions: It is recommended to clean the mechanism periodically to prevent dust or other indoor pollutants from affecting its operation or causing squeaking.

Warnings: All mechanism adjustments (height, side shift, seat and backrest adjustment, swivel) must be operated while seated to avoid improperly straining the mechanism. When adjusting, be careful to avoid any risk of entrapment or crushing of the fingers.

PADDED PARTS

Care instructions:

Leatherette: Clean with a damp cloth, mild soap and rinse well with water. It is imperative to avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, light-coloured materials cannot be put in contact with clothes containing unfixed dyes (e.g. jeans and derivatives) in order to avoid stains or streaks that are difficult to remove

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would change the fire behaviour of the fabric. Gently dab from the edges to the centre of the stain, do not rub. After stain removal, it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth dampened with water and neutral soap by making regular circular movements. Dry gently after treatment. Gently dab from the edges to the centre of the stain, do not rub. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner regularly with a smooth nozzle, without brushing or scrubbing in any way. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some upholstery (leather, imitation leather, weft fabrics) may have a slightly different aesthetic result depending on the batch, the dyeing bath and the product to be made. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change appearance and texture over time, this is to be considered normal.

UNPADDED PARTS

Care instructions:

Mesh: Use the vacuum cleaner regularly with a smooth spout, without brushing or scrubbing in any way. Any stains can be removed using a cloth dampened with water and neutral soap with regular circular movements. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any dust residue or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powder cleaners that may damage the paintwork. avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wooden surfaces, being a natural material themselves, may undergo colour alterations with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, it is not recommended to use dry cloths that could load with rubbing

electrostatically the plastic surface by attracting dust. For more stubborn stains, neutral liquid soap can be diluted in water in moderation. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive

substances such as washing powders, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material on surfaces.

PAINTED / CHROME-PLATED METAL BASES AND STRUCTURES

Maintenance and cleaning instructions: Both steel or aluminum metal surfaces and painted surfaces should be cleaned with a damp, soft cloth soaked in warm water; For more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois skin. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and scouring pads that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as but not limited to muriatic acid, ammonia, rubbing alcohol, bleach, sulphuric acid, soda, etc.

CASTORS

Tips: When using the chair on tiled floors, carpets or rugs, we recommend the use of polyamide castors. For stone, wood, laminate floors, we recommend the use of soft desmopan rubber castors. Maintenance and cleaning instructions: It is advisable to clean the castors periodically to avoid the accumulation of dirt that can cause malfunction. Warnings: Do not stress the sliding of the castors on floors with pronounced joints as the difference in height can cause them to break.