

YUGEN

GUEST AND COMMUNITY CHAIRS

Design: Paolo Scagnellato & Jeremiah Ferrarese Design



Yugen is a multipurpose seating program designed to furnish community spaces, from airport lounge areas to auditoriums. The secret of its transversality is the possibility of obtaining many different configurations, thanks to the options such as the writing tablet, armrests, wheels and connecting accessories, including the version on a bench seat for up to four seats. The contrast between the enveloping backrest and rigorous lines and the wide range of finishes available for plastics and metal structures make it a seat with a strong identity, whatever the configuration chosen.



In. Fb. lg.



Specifications

| Seat and backrest | Polypropylene. PP version available in: black, white, grey, coral. Version with padded seat available in: black, white |
|-------------------|--|
| Frame | 4-legged steel ø $25 	ext{ x 1,5 mm}$, chrome or painted in black, white, grey, coral |
| Padding | Flexible polyurethane foam 1.5 cm thick, density 40 rc |
| Armrests | Polypropylene or polished aluminum or black painted aluminum |
| Tablet | Polypropylene, anti-panic |
| Beam | Rectangular steel tube 80x40x1,5 black painted |
| Bench legs | Black nylon |
| Swivel base | Black or white 4-spikes pyramide base on items 212-213 |
| Bench table | Black melamine |





Components and/or modules

| Image | Dimension | | Cod. | Description |
|---|-----------|------|----------|--|
| | Н | 78 | | Polypropylene stack chair |
| | п | | N200V | 4-legged frame painted black |
| | L | 57 | B200V | 4-legged frame painted white |
| $(\ / \ / \)$ | L | 57 | G200V | 4- legged frame painted grey |
| 1 | Р | 55 | OR200V | 4-legged frame painted coral |
| | I | | C200V | 4-legged chrome frame |
| | н | 78 | | Stack chair, black polypropylene backrest, padded seat |
| | | 70 | N201VNR | 4-legged frame painted black |
| | L | 57 | B201VNR | 4-legged frame painted white |
| $(\land \land$ | L | 57 | G201VNR | 4- legged frame painted grey |
| 1 1 | Р | 55 | OR201VNR | 4-legged frame painted coral |
| | I | | C201VNR | 4-legged chrome frame |
| | н | 78 | | Stack chair, white polypropylene backrest, padded seat |
| 1000 | п | | N201VBN | 4-legged frame painted black |
| | L | 57 | B201VBN | 4-legged frame painted white |
| $(\land \land$ | | | G201VBN | 4- legged frame painted grey |
| | Р | 55 | OR201VBN | 4-legged frame painted coral |
| | • | | C201VBN | 4-legged chrome frame |
| | Н 78 | 78 | | |
| | | | BRN200 | Pair of armrests in black polypropylene |
| 7 7 | L | 57 | BRB200 | Pair of armrests in white polypropylene |
| 6 1 | L | | BROR200 | Pair of armrests in coral polypropylene |
| | Р | P 55 | BRG200 | Pair of armrests in grey polypropylene |
| | • | | | |
| \mathcal{I} | | | BRN201DX | Righ-hand armrest in black painted aluminum with rotatable pad |

| Image | Dimension | | Cod. | Description |
|----------------------|-----------|-----|------------|--|
| \checkmark | | | BRN202SX | Left-hand armrest in black painted aluminum with rotatable pad |
| <u>V</u> | | | BRN203TADX | Right-hand armrest in black painted aluminium with anti-panic tablet |
| $\overline{\Lambda}$ | | | BRN204TASX | Left-hand armrest in black painted aluminium with anti-panic tablet |
| $\sum_{i=1}^{n}$ | | | BRC201DX | Right-hand armrest in polished aluminum with rotatable pad |
| \square | | | BRC202SX | Left-hand armrest in polished aluminum with rotatable pad |
| J. | | | BRC203TADX | Right-hand armrest in polished aluminium with anti-panic tablet |
| ∇ | | | BRC204TASX | Left-hand armrest in polished aluminium with anti-panic tablet |
| - | | | AG-N205 | Black painted metal linking hook for armrests / tablets |
| | Н | 78 | | |
| | L | 129 | N210T2 | Two-seater bench, polypropylene seat and back |
| | Р | 56 | | |
| | Н | 78 | | |
| | L | 187 | N210T2+T | Two-seater bench with black laminate in- built table, polypropylene seat and back |
| / | Р | 56 | · | |

| Image | Dimension | | Cod. | Description | |
|--|-----------|-----|-----------------|---|--|
| | Н | 78 | N210T3 | | |
| | L | 187 | | Three-seater bench, polypropylene seat and back | |
| | Р | 56 | _ | | |
| | Н | 78 | | | |
| ALC: NOT THE OWNER OF THE OWNER OWNER OF THE OWNER OWNE OWNER OWNE | L | 231 | N210T3+T | Three-seater bench with black laminate in- built table, polypropylene seat and back | |
| | Р | 56 | _ | | |
| | н | 78 | | | |
| | L | 231 | N210T4 | Four seater bench, polypropylene seat and back | |
| | Р | 56 | _ | | |
| | Н | 78 | N211T2NR | Two-seater bench, padded seat, black polypropylene back | |
| | L | 129 | | | |
| | Р | 57 | | | |
| | н | 78 | – N211T2+TNR | Two-seater bench with black laminate in- built table, padded seat, black polypropylene back | |
| | L | 187 | | | |
| | Р | 57 | _ | polypi opytene back | |
| | Н | 78 | | | |
| | L | 187 | | Three-seater bench, padded seat, black polypropylene back | |
| | Р | 57 | _ | | |
| | Н | 78 | | | |
| | L | 231 | – N211T3+TNR | Three-seater bench with black laminate in- built table, padded seat, black polypropylene back | |
| / | Р | 57 | _ | | |

| Image | Dimension | | Cod. | Description | |
|-------|-----------|-----|----------------|---|--|
| | Н | 78 | N211T4NR | Four-seater bench, padded seat, black polypropylene back | |
| | L | 231 | | | |
| | Р | 57 | | | |
| | Н | 78 | | | |
| | L | 129 | N211T2BN | Two-seater bench, padded seat, white polypropylene back | |
| / | Р | 57 | | | |
| | Н | 78 | | | |
| | L | 187 | N211T2+TBN | Two-seater bench with black laminate in- built table, padded seat, white polypropylene back | |
| " | Ρ | 57 | | | |
| | Н | 78 | | Three-seater bench, padded seat, white polypropylene back | |
| | L | 187 | N211T3BN | | |
| | Ρ | 57 | | | |
| | Н | 78 | N211T3+TBN | | |
| | L | 231 | | Three-seater bench with black laminate in- built table, padded seat, white polypropylene back | |
| 1 | Ρ | 57 | | F / F F / | |
| | Н | 78 | | | |
| | L | 231 | N211T4BN | Four-seater bench, padded seat, white polypropylene back | |
| / | Ρ | 57 | | | |
| | Н | 79 | | | |
| X | L | 50 | N212B | Black polypropylene swivel chair, black nylon 4-spokes pyramidal base on castors | |
| ς, γ, | Ρ | 67 | | | |

| Image | Dimension | | Cod. | Description |
|-------|-----------|----|---------|---|
| | Н | 79 | | |
| X | L | 50 | N213BNR | Swivel chair, padded seat, black polypropylene back, black nylon 4-spokes pyramidal base on castors |
| C. J. | Р | 67 | | |
| | Н | 79 | | |
| X | L | 50 | B212B | White polypropylene swivel chair, white nylon 4-spokes pyramidal base on castors |
| 6. 7. | Р | 67 | | |
| | Н | 79 | | |
| | L | 50 | B213BBN | Swivel chair, padded seat, white polypropylene back, white nylon 4-spokes pyramidal base on castors |
| | Р | 67 | | |





Coverings

| Cat. | Covering | | Description | Certifications | Folder Colors |
|------|----------|-----------------------------|--|--|------------------|
| 1 | | Madrid 5 colors | Weight: ± 230 g/sqmComposition: 100% PP polypropylene F.R.Martindale: 80,000 cycles | EKO-TEX® STANDARD 100 Microsoft on USAN Margon endowed and Microsoft on USAN Fire proof class 11M | Ø |
| 1 | | Cove 5 colors | Weight: ± 565 g/sqm Composition: 82% PVC – 7% Cotton – 11% Polyester Martindale: 50,000 cycles | | Ø |
| 2 | | Angel 13 colors | Weight: ± 228 g/sqm Composition: 100% polypropylene F.R. Martindale: 100,000 cycles | Fire proof class 1IM | Ø |
| 2 | | One 15 colors | Weight: ± 350 g/sqm Composition: 100% recycled polyester Martindale: 100,000 cycles | DEKO-TEX O STADACTICO DESISTACTICO Magine balan want manual want and want and want Fire proof class 1IM | Ø |
| 2 | | Gazebo 15 colours | Weight: ± 640 g/sqm Composition: 87.5% Plasticized Polyvinyl Chloride – 4.4% Cotton- 8.1% Polyester Martindale: 50,000 cycles | Fire proof class 1IM | Ø |
| 2 | | King-flex 15 colours | Weight: ± 300 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles | Viceviral Standard 100 (Standard 100) Standard 100 (Standard 100) Stand | Ø |
| 3 | | Secret 15 colors | Weight: ± 540 g/sqm Composition: 76% PVC – 2% PU – 22% PES Martindale: 60,000 cycles Features: waterproof, UV-resistant, suitable for outdoor | Fire proof class 1IM | Ø |
| 3 | | Mini 15 colors | Weight: ± 340 g/sqm Composition: 100% polyester Trevira CS Martindale: 100,000 cycles | CEKO-TEX® STANDARD 100 POSto Control to the text Provide the text of texto | Ø |
| 3 | | Chili 15 colors | Weight: ± 470 g/sqm Composition: 100% Post-consumer recycled polyester FR Martindale: 60,000 | VICENCE VICENC | Ŷ |

In. Fb. Ig.



| Cat. | Covering | | Description | Certifications | Folder Colors |
|------|---|------------------------------|--|---|------------------|
| 5 | 用1444年後,2月1日的1月1日的1月1日的1月1日日,1月1日日 1月1日日 - 1月1日日 - | Step 15 colors | Weight: ± 340 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles | VICENTIAL CONTROL OF CALLS | Q |
| 5 | | Go Check 15 colors | Weight: ± 310 g/sqm Composition: 100% Trevira CS Martindale: 80,000 cycles | OEKO-TEXO Instantion Image: Constant of the second of the se | Q |
| 7 | | Grain 15 colors | Weight: ± 615 g/sqm Composition: 100% Trevira CS Martindale: 100,000 cycles California TB 117-2013 | OEKO-TEX ® CONTIDENCE IN TEXTILES STANDARD 100 1076-182 0T Tatad for harmful abdamos, www.cellor-tac.com/sandard 100 | Q |
| 7 | | Focus 15 colors | Weight: ± 660 g/sqm Composition: 100% New Zealand Wool Martindale: 100,000 cycles CLASS 1 IM - UNI 9175 | CONTIDENCE IN TEXTUES CONTIDENCE IN TEXTUES STANDARD 100 1076-182 0TI 1076-182 0TI Tested for harmfa business, www.osio-tex.com/standard.100 | Q |
| 7 | | Extrema 15 colors | Weight: ± 480 g/sqm Composition: 63% PU – 29% COT – 8% PES Martindale: 150,000 cycles Features: Antibacterial protection | Ultra-Fresh* | Ø |

Certifications



Ministerial Approval Class 1IM (upholstered) or Class 1 (non-upholstered) on request. Search for FSC® products



INSTRUCTIONS FOR USE AND MAINTENANCE

GENERAL INFORMATION

If the chair is used as a Computer station, the angles between the foot and calf, calf and thigh, thigh and back, forearm and shoulder must be approximately 90°

GAS PUMP

Instructions for use: The height adjustment of the seat by gas pump is obtained by pulling the lever of the mechanism upwards.

Maintenance instructions: the pump does not require any particular maintenance but it is advisable to avoid direct contact with the sliding parts as they contain lubricant. Warnings: Do not open the gas column by force. Specialized staff only can replace or repair the gas pump.

MECHANISMS

Instructions for use: All anti-shock mechanisms have a safety system which, once unlocked, is activated with a slight backward movement of the backrest, to prevent it from returning abruptly and accidentally forward.

Care instructions: It is recommended to clean the mechanism periodically to prevent dust or other indoor pollutants from affecting its operation or causing squeaking.

Warnings: All mechanism adjustments (height, side shift, seat and backrest adjustment, swivel) must be operated while seated to avoid improperly straining the mechanism. When adjusting, be careful to avoid any risk of entrapment or crushing of the fingers.

PADDED PARTS

Care instructions:

Leatherette: Clean with a damp cloth, mild soap and rinse well with water. It is imperative to avoid using solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. In general, light-coloured materials cannot be put in contact with clothes containing unfixed dyes (e.g. jeans and derivatives) in order to avoid stains or streaks that are difficult to remove.

Fabric: Clean using a damp sponge by moistening the fabric without getting it wet. The use of a suction brush is not recommended, as traces of shampooing may remain on the upholstery, which would change the fire behaviour of the fabric. Gently dab from the edges to the centre of the stain, do not rub. After stain removal, it is necessary to proceed with a complete drying of the fabric, avoiding subjecting it to high temperatures. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Leather: Clean regularly with a soft, dry cloth. Any stains can be removed using a cloth dampened with water and neutral soap by making regular circular movements. Dry gently after treatment. Gently dab from the edges to the centre of the stain, do not rub. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Wool: Use the vacuum cleaner regularly with a smooth nozzle, without brushing or scrubbing in any way. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Warnings: Some upholstery (leather, imitation leather, weft fabrics) may have a slightly different aesthetic result depending on the batch, the dyeing bath and the product to be made. In particular, the leather used for the upholstery of sofas and armchairs is a material of natural origin so any small imperfections are not to be considered defects. The leather upholstery, with use, can change appearance and texture over time, this is to be considered normal.

UNPADDED PARTS

Care instructions:

Mesh: Use the vacuum cleaner regularly with a smooth spout, without brushing or scrubbing in any way. Any stains can be removed using a cloth dampened with water and neutral soap with regular circular movements. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product.

Exposed wood: Clean using a dry cotton cloth to remove any dust residue or minor impurities. Do not use wet or damp cloths. To avoid unsightly scratches, do not use abrasive cloths, chemicals or powder cleaners that may damage the paintwork. avoid the use of solvents, bleaches or other chemical detergents, as they could alter the aesthetic and physical characteristics of the product. Wooden surfaces, being a natural material themselves, may undergo colour alterations with use and over time.

Plastic: Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, it is not recommended to use dry cloths that could load with rubbing

electrostatically the plastic surface by attracting dust. For more stubborn stains, neutral liquid soap can be diluted in water in moderation. The use of solvents, bleaches or other chemical detergents should be strictly avoided, as they could alter the aesthetic and physical characteristics of the product. Avoid all abrasive substances such as washing powders, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material on surfaces.

PAINTED / CHROME-PLATED METAL BASES AND STRUCTURES

Maintenance and cleaning instructions: Both steel or aluminum metal surfaces and painted surfaces should be cleaned with a damp, soft cloth soaked in warm water; For more stubborn stains, it is possible to dilute neutral liquid soap in water, in moderation. Always dry after cleaning with a soft cloth or chamois skin. Do not use creams and pastes suitable for cleaning steel ovens, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and scouring pads that can scratch metal surfaces. Avoid contact with floor cleaners containing corrosive solvents such as but not limited to muriatic acid, ammonia, rubbing alcohol, bleach, sulphuric acid, soda, etc.

CASTORS

Tips: When using the chair on tiled floors, carpets or rugs, we recommend the use of polyamide castors. For stone, wood, laminate floors, we recommend the use of soft desmopan rubber castors. Maintenance and cleaning instructions: It is advisable to clean the castors periodically to avoid the accumulation of dirt that can cause malfunction. Warnings: Do not stress the sliding of the castors on floors with pronounced joints as the difference in height can cause them to break.